

**WEEK 2**  
**11/09/2019**

**7. Pulvis sennae compositus**

(Pulv. sennae comp.)

**Ph. Hg. VII.**

Name (Ph. Hg. VII.)	full dose	Name (Ph. Hg. VIII.)
Aetheroleum foeniculi	10.0 g	Foeniculi amari herbae aetheroleum
Saccharosum (VI)	490.0 g	Saccharum
Sulfur pulveratum lotum (VI)	100.0 g	-
Liquiritiae rhizoma et radix (VI)	200.0 g	Liquiritiae radix
Sennae folium (VI)	200.0 g	Sennae folium

**Labeling:** Laxative, take 5 ml powder with some water.

**Expiration:** 6 months

**Indication:** Laxativum.

**8. Pulvis Caroli**

(Pulv. Caroli)

**Ph. Hg. VII.**

Name (Ph. Hg. VII.)	full dose	Name (Ph. Hg. VIII.)
Kalium sulfuricum (VI)	20.0 g	Kalii sulfas
Natrium chloratum (VI)	180.0 g	Natrii chloridum
Natrium hydrogencarbonicum (VI)	360.0 g	Natrii hydrogencarbonas
Natrium sulfuricum siccatum (VI)	440.0 g	Natrii sulfas anhydricus

**Labeling:** Laxative. Take 5 ml powder dissolved in 2 dl warm water.

**Expiration:** 6 months

**Indication:** Laxativum. Anticatarrhoicum. Cholagogum.

## **9. Pulvis aluminii et magnesii**

(Pulv. alumin. et magnes.)

**FoNo VII.**

Name (Ph. Hg. VII.)	full dose	Name (Ph. Hg. VIII.)
Aluminium hydroxydatum	40.0 g	Aluminii oxydum hydricum
Magnesium oxydatum	10.0 g	Magnesii oxidum leve

**Labeling:** Take 1 pinch powder in  $\frac{1}{4}$  glass of water, 3 times daily.

**Expiration:** 6 months

**Indication:** Antacidum. Adstringens.

## **10. Pulvis antacidus (1/2 dose)**

(Pulv. antacid.)

**FoNo VII.**

Name (Ph. Hg. VII.)	full dose	Name (Ph. Hg. VIII.)
Natrium hydrogencarbonicum	20.0 g	Natrii hydrogenocarbonas
Bismuthum subnitricum	35.0 g	Bismuthi subnitras ponderosus
Magnesium carbonicum hydroxydatum	40.0 g	Magnesii subcarbonas levis

**Labeling:** Take 1 pinch powder in 1 dl water 2 hours after meal. Keep in a dry place.

**Expiration:** 6 months

**Indication:** Antacidum.

## **11. Sal ad rehydrationem (full dose)**

(Sal ad rehydr.)

**FoNo VII.**

Name (Ph. Hg. VII.)	full dose	Name (Ph. Hg. VIII.)
Natrium chloratum	3.50 g	Natrii chloridum
Kalium chloratum	1.50 g	Kalii chloridum
Trinatrium citricum	3.00 g	Natrii citras
Glucosum anhydricum	20.0 g	Glucosum anhydricum

**Labeling:** Dissolve in 1 l water, as directed by the doctor. Keep in a dry place. It can be used up to 24 hours after preparation.

**Expiration:** To be made when ordering.

**Indication:** Oral rehydration therapy.